



Federal Communications Commission

Approved by OMB
3060-0999
See instructions for
public burden
estimate.

Hearing Aid Compatibility Status Report (FCC Form 655)

Reporting Period: July 1, 2017 – June 30, 2018

Filing Confirmation Number: 0008283421

Filing Deadline: July 16, 2018

FRN: 0018919456

Filing Date: 07/13/2018 01:35 PM

General Report Information

Type of Company

Device Manufacturer

De Minimis Exception

Have you been offering handsets in the United States for at least three years prior to the end of the reporting period? Yes

Date that you began offering handsets in the United States

Are you a small entity? No

Were you a small entity at any time during the three years prior to the end of the reporting period?
No

Date that you ceased to be a small entity?

Company Information

Company Name: Sony Mobile Communications, Inc.

Brand Names: Xperia

PO Box:

Street Address: 2207 Bridgepointe Parkway

City: San Mateo

State: CA

Zip Code: 94404

Contact Name: Wayne Moyung

Contact Phone: (650) 581-6971

Contact Fax:

Contact Email: Wayne.Moyung@sony.com

Filing Agent

Is this report being filed by an agent on behalf of a manufacturer or service provider? No

Product Labeling

Do all hearing aid-compatible handsets include labeling? Yes

Explain:

Do all hearing aid-compatible handsets that were tested under ANSI C63.19-2007, and that are

capable of voice communication over any air interface or frequency band that does not have hearing aid compatibility technical standards under ANSI C63.19–2007, include the required language disclosing that the handset has not been rated for hearing aid compatibility with respect to such operation?

N/A

Explain:

Do all hearing aid-compatible handsets that were certified only under ANSI C63.19–2007, but that the manufacturer also tested and found not to meet hearing aid compatibility requirements under ANSI C63.19–2011 for one or more operations that are not covered under ANSI C63.19–2007, include language informing users by clear and effective means that the handset does not meet the relevant rating or ratings with respect to such operation(s)?

N/A

Explain:

Do all handsets that are capable of use for Voice over LTE or Wi-Fi Calling, and that were certified for inductive coupling capability under ANSI C63.19–2011 without being tested for inductive coupling capability over Voice over LTE or Wi-Fi Calling, include language disclosing that they were not tested with respect to this operation?

Yes

Explain:

Do all handsets that meet the criteria for an M3 rating by allowing the user to reduce the maximum power for GSM operation in the 1900 MHz band include the required disclosure?

Explain:

Public Website

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those models, and an explanation of the rating system? Service provider websites must include the levels of functionality that the service provider has defined, the level that each hearing aid-compatible model falls under, and an explanation of how the functionality of the handsets varies at the different levels. Yes

Website address:

<https://blogs.sonymobile.com/about-us/sustainability/accessibility/hearing-aid-compatibility/>

Explain:

Consumer Outreach

Describe consumer outreach efforts in the past 12 months: Sony Mobile maintains outreach effort for consumers by sharing information and participating in CTIA's Accessibility related working groups. Each year, Sony Mobile attends CTIA's Accessibility Outreach Initiative (AOI) F2F meetings to get the latest feedback from various Accessibility advocacy groups.

Sony Mobile continues to participate and contribute in the Mobile Manufacturer's Forum (MMF) Global Accessibility Reporting Initiative (GARI) that provides detail data to consumers regarding to accessibility on mobile devices. Information and access to GARI is available at <http://www.gari.info>.

Sony participated 2018 CSUN Assistive Technology Conference.

Hearing Aid Testing

How many handset models were tested for hearing aid compatibility during the reporting period? 8

Report Remarks

You have reported the following handset model summary information.

Total number of handsets offered: 20

Air Interface	Fully Hearing Aid Compatible		Acoustic Coupling Compatible Only		Non-Compliant Handsets		Total by Air Interface
	Number	Percent	Number	Percent	Number	Percent	
GSM	20	100%					20
WCDMA	20	100%					20
LTE	20	100%					20
Wi-Fi	20	100%					20

Handset 1: Sony Mobile Communications Xperia F3113

Handset Maker

Sony Mobile Communications

Handset Model Name

Xperia F3113

FCC ID

PY7-PM0922

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
900 MHz GSM
900 MHz WCDMA
1700 MHz WCDMA
1700 MHz LTE
1800 MHz GSM
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2100 MHz WCDMA
2.4 GHz Wi-Fi
5.0 GHz Wi-Fi
2600 MHz LTE

Dates

This handset model was offered from: 07/17 to 12/17

Ratings

M-Rating: M4

M-Rating Certification Date: 02/02/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 02/02/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 2: Sony Mobile Communications Xperia F3213

Handset Maker

Sony Mobile Communications

Handset Model Name

FCC ID

Xperia F3213

PY7-PM0954

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
900 MHz GSM
900 MHz WCDMA
1700 MHz WCDMA
1700 MHz LTE
1800 MHz GSM
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2100 MHz WCDMA
2.4 GHz Wi-Fi
5.0 GHz Wi-Fi
2600 MHz LTE

Dates

This handset model was offered from: 07/17 to 12/17

Ratings

M-Rating: M4

M-Rating Certification Date: 06/04/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 06/04/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 3: Sony Mobile Communications Xperia F5121

Handset Maker

Sony Mobile Communications

Handset Model Name

FCC ID

Xperia F5121

PY7-PM0930

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz WCDMA
800 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
900 MHz GSM
900 MHz WCDMA
900 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1800 MHz GSM
1800 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2100 MHz WCDMA
2100 MHz LTE
2.4 GHz Wi-Fi
5.0 GHz Wi-Fi
2600 MHz LTE
2300 MHz LTE
2500 MHz LTE

Dates

This handset model was offered from: 07/17 to 12/17

Ratings

M-Rating: M4

M-Rating Certification Date: 04/14/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 04/14/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 4: Sony Mobile Communications Xperia F5122

Handset Maker

Sony Mobile Communications

Handset Model Name

FCC ID

Xperia F5122

PY7-PM0931

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz WCDMA
800 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
900 MHz GSM
900 MHz WCDMA
900 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1800 MHz GSM
1800 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2100 MHz WCDMA
2100 MHz LTE
2.4 GHz Wi-Fi
5.0 GHz Wi-Fi
2600 MHz LTE
2300 MHz LTE
2500 MHz LTE

Dates

This handset model was offered from: 07/17 to 12/17

Ratings

M-Rating: M4

M-Rating Certification Date: 04/14/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 04/14/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 5: Sony Mobile Communications Xperia F5321

Handset Maker

Sony Mobile Communications

Handset Model Name

FCC ID

Xperia F5321

PY7-14784Z

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz WCDMA
800 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
900 MHz GSM
900 MHz WCDMA
900 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1800 MHz GSM
1800 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2100 MHz WCDMA
2100 MHz LTE
2.4 GHz Wi-Fi
5.0 GHz Wi-Fi
2600 MHz LTE
2300 MHz LTE
2500 MHz LTE

Dates

This handset model was offered from: 07/17 to 12/17

Ratings

M-Rating: M4

M-Rating Certification Date: 08/04/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 08/04/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 6: Sony Mobile Communications Xperia F8131

Handset Maker

Sony Mobile Communications

Handset Model Name

FCC ID

Xperia F8131

PY7-PM0940

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz WCDMA
800 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
900 MHz GSM
900 MHz WCDMA
900 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1800 MHz GSM
1800 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2100 MHz WCDMA
2100 MHz LTE
2.4 GHz Wi-Fi
5.0 GHz Wi-Fi
2600 MHz LTE
2300 MHz LTE
2500 MHz LTE

Dates

This handset model was offered from: 07/17 to 03/18

Ratings

M-Rating: M4

M-Rating Certification Date: 04/30/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 04/30/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 7: Sony Mobile Communications Xperia F8331

Handset Maker

Sony Mobile Communications

Handset Model Name

FCC ID

Xperia F8331

PY7-29752M

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz WCDMA
800 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
900 MHz GSM
900 MHz WCDMA
900 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1800 MHz GSM
1800 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2100 MHz WCDMA
2100 MHz LTE
2.4 GHz Wi-Fi
5.0 GHz Wi-Fi
2600 MHz LTE
2300 MHz LTE
2500 MHz LTE

Dates

This handset model was offered from: 07/17 to 12/17

Ratings

M-Rating: M4

M-Rating Certification Date: 08/19/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 08/19/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 8: Sony Mobile Communications Xperia G3123

Handset Maker

Sony Mobile Communications

Handset Model Name

FCC ID

Xperia G3123

PY7-98591H

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
900 MHz GSM
900 MHz WCDMA
1700 MHz WCDMA
1800 MHz GSM
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2100 MHz WCDMA
2100 MHz LTE
2.4 GHz Wi-Fi
5.0 GHz Wi-Fi
2600 MHz LTE

Dates

This handset model was offered from: 07/17 to 06/18

Ratings

M-Rating: M4

M-Rating Certification Date: 02/22/17

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 02/22/17

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 9: Sony Mobile Communications Xperia G3223

Handset Maker

Sony Mobile Communications

Handset Model Name

FCC ID

Xperia G3223

PY7-33143E

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
900 MHz GSM
900 MHz WCDMA
1700 MHz WCDMA
1800 MHz GSM
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2100 MHz WCDMA
2100 MHz LTE
2.4 GHz Wi-Fi
5.0 GHz Wi-Fi
2600 MHz LTE

Dates

This handset model was offered from: 07/17 to 06/18

Ratings

M-Rating: M4

M-Rating Certification Date: 03/24/17

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 03/24/17

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 10: Sony Mobile Communications Xperia G3313

Handset Maker

Sony Mobile Communications

Handset Model Name

FCC ID

Xperia G3313

PY7-10720X

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
900 MHz GSM
900 MHz WCDMA
1700 MHz WCDMA
1800 MHz GSM
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2100 MHz WCDMA
2100 MHz LTE
2.4 GHz Wi-Fi
5.0 GHz Wi-Fi
2600 MHz LTE

Dates

This handset model was offered from: 07/17 to 06/18

Ratings

M-Rating: M4

M-Rating Certification Date: 04/03/17

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 04/03/17

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 11: Sony Mobile Communications Xperia G3423

Handset Maker

Sony Mobile Communications

Handset Model Name

FCC ID

Xperia G3423

PY7-76476N

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
900 MHz GSM
900 MHz WCDMA
1700 MHz WCDMA
1700 MHz LTE
1800 MHz GSM
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2100 MHz WCDMA
2100 MHz LTE
2.4 GHz Wi-Fi
5.0 GHz Wi-Fi
2600 MHz LTE

Dates

This handset model was offered from: 10/17 to 06/18

Ratings

M-Rating: M4

M-Rating Certification Date: 08/03/17

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 08/03/17

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 12: Sony Mobile Communications Xperia G8142

Handset Maker

Sony Mobile Communications

Handset Model Name

FCC ID

Xperia G8142

PY7-08618T

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz WCDMA
800 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
900 MHz GSM
900 MHz WCDMA
900 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1800 MHz GSM
1800 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2100 MHz WCDMA
2100 MHz LTE
2.4 GHz Wi-Fi
5.0 GHz Wi-Fi
2600 MHz LTE
2300 MHz LTE
2500 MHz LTE

Dates

This handset model was offered from: 07/17 to 06/18

Ratings

M-Rating: M4

M-Rating Certification Date: 05/09/17

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 05/09/17

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 13: Sony Mobile Communications Xperia G8232

Handset Maker

Sony Mobile Communications

Handset Model Name

FCC ID

Xperia G8232

PY7-764860

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz WCDMA
800 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
900 MHz GSM
900 MHz WCDMA
900 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1800 MHz GSM
1800 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2100 MHz WCDMA
2100 MHz LTE
2.4 GHz Wi-Fi
5.0 GHz Wi-Fi
2600 MHz LTE
2300 MHz LTE
2500 MHz LTE

Dates

This handset model was offered from: 07/17 to 06/18

Ratings

M-Rating: M4

M-Rating Certification Date: 02/26/17

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 02/26/17

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 14: Sony Mobile Communications Xperia G8342

Handset Maker

Sony Mobile Communications

Handset Model Name

FCC ID

Xperia G8342

PY7-68552B

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz WCDMA
800 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
900 MHz GSM
900 MHz WCDMA
900 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1800 MHz GSM
1800 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2100 MHz WCDMA
2.4 GHz Wi-Fi
5.0 GHz Wi-Fi
2600 MHz LTE

Dates

This handset model was offered from: 09/17 to 06/18

Ratings

M-Rating: M4

M-Rating Certification Date: 07/24/17

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 07/24/17

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 15: Sony Mobile Communications Xperia G8441

Handset Maker

Sony Mobile Communications

Handset Model Name

FCC ID

Xperia G8441

PY7-32042D

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz WCDMA
800 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
900 MHz GSM
900 MHz WCDMA
900 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1800 MHz GSM
1800 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2100 MHz WCDMA
2.4 GHz Wi-Fi
5.0 GHz Wi-Fi
2600 MHz LTE

Dates

This handset model was offered from: 09/17 to 06/18

Ratings

M-Rating: M3

M-Rating Certification Date: 08/24/17

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 08/24/17

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 16: Sony Mobile Communications Xperia H3123

Handset Maker

Sony Mobile Communications

Handset Model Name

FCC ID

Xperia H3123

PY7-57442Z

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
900 MHz GSM
900 MHz WCDMA
900 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1800 MHz GSM
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2100 MHz WCDMA
2100 MHz LTE
2.4 GHz Wi-Fi
5.0 GHz Wi-Fi
2600 MHz LTE

Dates

This handset model was offered from: 01/18 to 06/18

Ratings

M-Rating: M3

M-Rating Certification Date: 11/27/17

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 11/27/17

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 17: Sony Mobile Communications Xperia H3223

Handset Maker

Sony Mobile Communications

Handset Model Name

FCC ID

Xperia H3223

PY7-67442A

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
900 MHz GSM
900 MHz WCDMA
900 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1800 MHz GSM
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2100 MHz WCDMA
2100 MHz LTE
2.4 GHz Wi-Fi
5.0 GHz Wi-Fi
2600 MHz LTE

Dates

This handset model was offered from: 01/18 to 06/18

Ratings

M-Rating: M3

M-Rating Certification Date: 11/28/17

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 11/28/17

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 18: Sony Mobile Communications Xperia H3321

Handset Maker

Sony Mobile Communications

Handset Model Name

Xperia H3321

FCC ID

PY7-22032B

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
900 MHz GSM
900 MHz WCDMA
1700 MHz WCDMA
1700 MHz LTE
1800 MHz GSM
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2100 MHz WCDMA
2100 MHz LTE
2.4 GHz Wi-Fi
5.0 GHz Wi-Fi
2600 MHz LTE

Dates

This handset model was offered from: 01/18 to 06/18

Ratings

M-Rating: M3

M-Rating Certification Date: 11/23/17

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 11/23/17

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 19: Sony Mobile Communications Xperia H8266

Handset Maker

Sony Mobile Communications

Handset Model Name

Xperia H8266

FCC ID

PY7-00718V

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz WCDMA
800 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
900 MHz GSM
900 MHz WCDMA
900 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1800 MHz GSM
1800 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2100 MHz WCDMA
2100 MHz LTE
2.4 GHz Wi-Fi
2.5 GHz LTE
5.0 GHz Wi-Fi
2600 MHz LTE
2300 MHz LTE
1500 MHz LTE

Dates

This handset model was offered from: 04/18 to 06/18

Ratings

M-Rating: M4

M-Rating Certification Date: 02/17/18

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 02/17/18

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 20: Sony Mobile Communications Xperia H8314

Handset Maker

Sony Mobile Communications

Handset Model Name

FCC ID

Xperia H8314

PY7-24118Q

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz WCDMA
800 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
900 MHz GSM
900 MHz WCDMA
900 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1800 MHz GSM
1800 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2100 MHz WCDMA
2100 MHz LTE
2.4 GHz Wi-Fi
5.0 GHz Wi-Fi
2600 MHz LTE
1500 MHz LTE

Dates

This handset model was offered from: 04/18 to 06/18

Ratings

M-Rating: M4

M-Rating Certification Date: 01/29/18

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 01/29/18

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Certification

This Report has been certified by:

WAYNE MOYUNG Senior Verification Engineer
07/13/2018 01:35 PM